

The Putnam Competition from 1938-2017*

Joseph A. Gallian

1. INTRODUCTION. The William Lowell Putnam Competition is held annually for the top undergraduate mathematics students in the United States and Canada. The first Putnam competition took place in 1938, but its genesis was a math competition held in 1933 between ten Harvard students and ten students from the United States Military Academy at West Point [2]. That competition was sponsored by Elizabeth Lowell Putnam in honor of her late husband William Lowell Putnam, who was a member of the Harvard class of 1882. That competition went so well that plans were made to have an annual competition in which all interested institutions could participate. This came about in 1938, when the first official Putnam competition was sponsored by the Mathematical Association of America. The examination was prepared and graded by members of the Harvard mathematics department and Harvard students were excluded the first year. One of the goals for the competition was to identify the very best and most promising students in mathematics in the country. There were both individual and team competitions. The questions were drawn from calculus, the theory of equations, differential equations, and geometry. (The problems are included at the end of this article.) Prizes in the first four years were \$500, \$300, and \$200 for the top three teams and \$50 each for the top five ranking individuals, who were designated as Putnam Fellows. Between 1942 and 1958 cash prizes were awarded to the top four teams. Prizes were extended to the top five teams beginning in 1959. By the year 1997 the prizes for the top five teams had risen to \$25,000, \$20,000, \$15,000, \$10,000, and \$5,000, while team members of the top five teams received \$1,000, \$800, \$600, \$400, and \$200, respectively. Each Fellow received \$2,500, those ranking in the next ten¹ received \$1,000, and those in the next 10 received \$250. Moreover, each year one Putnam Fellow receives the William Lowell Putnam Fellowship for graduate study at Harvard.

The first competition had 163 individuals and 42 teams. The number of participants exceeded 1,000 for the first time in 1961, when 1,094 individuals and 165 teams took part. In 2011 there were 4440 students representing 572 institutions and 460 teams. All three of these totals are the highest on record. The number of participants in the 2011 competition alone exceeds the total number of participants in the first 19 competitions from 1938 through the fall of 1958. (The competitions were suspended from 1943-1945 because of World War II; in 1958 there were two competitions—one in the spring and one in the fall.) Coincidentally, in both 1980 and 1981 there were exactly 2,043 participants. Through 2017, there have been 53,391 participants. The 1946 contest, coming right after the war, had the lowest participation ever with just 67 contestants and 14 teams. The Putnam problem committee for the 1946 contest was George Pólya, Tibor Radó, and Irving Kaplansky. In 2011 there were 163 participants

*This is an updated version of an article published in the American Mathematical Monthly [5] in 2004.

¹Because of ties this is approximate.

from MIT alone. That exceeds the total number of participants in each of 1941, 1942, 1946, 1947, 1948, and 1949. Table 1 at the end of this article provides the list of the number of participants in each of the seventy-eight competitions through 2017.

In the first twenty-two competitions the number of questions varied from eleven to fourteen, but beginning with the 23rd competition in 1962, the exams have consisted of a three-hour morning session and a three-hour afternoon session, each having six questions worth ten points apiece. Institutions entering teams must designate the three team members before the competition is held. The team score is the sum of the ranks of the three team members. Thus, a team whose members finish in twenty-first, forty-ninth, and one hundred and second places has a score of 172. The lower a team's score, the higher its ranking. This method of team scoring places great weight on the lowest scoring member of the team since there is much bunching at lower scores. For example, in 1988 a team member with a score of ten ranked 1496, but a team member with a score of nine ranked 1686. In 2006 a score of one point generated 1266.5 team points, whereas a score of zero on that exam resulted in 2501 team points. Thus, even a one point difference in an individual's score can mean over a thousand points more for the team.

The fact that the team members are designated in advance and the method of summing the ranks for team scoring cause some peculiar results on occasion. In 1959, for instance, Harvard had four Putnam Fellows but finished fourth in the team competition, and in 1966, 1970, 2005, and 2006 MIT had three Putnam Fellows but did not win the competition. There have been sixteen competitions in which the winning institution did not have a Putnam Fellow.

One might wonder about the most difficult Putnam problems over the years. By design, the 5th and 6th problems in each session tend to be more difficult than the others but time also is a factor with the last two problems. Using data from 1974-2017, the only problems for which no one in the top 200 received a positive score were A6 on the 1979 exam and B6 on the 2011 exam. These two problems are reproduced in the Appendix II. In 1999 for both B4 and B5 only a single person in the top 200 (approximately) received a positive score. In each instance the score was two. In 1980, there was only one person among the top 200 who received an 8 or more on problems B5 and one person who received a score of 8 or more on B6. In 1982 no one in the top 200 scored a 7 or more on A6. In 1993 only one person in the top 200 scored an 8 or more on A6 and only 2 received an 8 or more on B6. In 2011 only one person in the top 200 scored a positive score on A5 and B6 combined. In 2011 181 people out of the top 200 left A5 blank. In 2015 the highest score for A5 was 1. There are a few anomalies such as in 1988 when 59 of the top 200 received 10 points for A6 and 38 received 10 points on B6. The strangest year was 1974 when only one person in the top 200 received 9 or 10 on B1 and only one received 9 or 10 on B2 but 34 received 9 or 10 on B6.

Although the first problem in each session is intended to be the easiest, most people get 2 or fewer points on them because points in the range 3-7 are rarely given. Papers from the top 200 participants and top 35 teams are regraded. In recent years there have been forty graders. As to be expected, over the long run, the problems on the Putnam exam have tended to become more difficult.

2. TEAM PERFORMANCE. By a wide margin, Harvard has the best record in the Putnam competition. Through 2017, Harvard has won the team competition twenty-nine times, while its closest rival for team titles, Caltech and MIT, have won ten times each. Six of MIT titles have come since 2003. Tied for fourth place with four team titles each are Washington

University and the University of Toronto. All four of Toronto's team titles occurred in the first six years of the competition. Toronto might have won all of the first six competitions except for the fact that it chose to disqualify itself in 1939 and 1941 because the Toronto mathematics department had prepared the questions. Harvard and Princeton are tied for the record for the most second place finishes with 12, MIT has finished in second place 11 times, and Harvard has the most third place finishes with 13.

Starting with the fifth competition the questions have been prepared by a committee selected from different schools rather than having the department of the winning team of the previous competition prepare them. This meant that the winner of the previous year would not have to disqualify itself. Curiously, the Harvard team did not place in the top five in the first six competitions, but it has placed in the top five in sixty-one of the seventy-eight competitions held through 2017. During the first twenty competitions (1938-1959), the New York institutions Brooklyn College, Polytechnic Institute of Brooklyn, Columbia University, and City College of New York excelled in the team competition and in producing Putnam Fellows. Caltech's glory years were the six years 1971-1976 when they won the team competition five times. Harvard's longest winning streak was eight years (1985-1992), and its longest stretch without winning was fifteen years (1967-1981). Excluding Harvard, only twice has the same institution won three years in a row. That was Caltech in 1971-1973 and MIT in 2013-2015. Between 1976 and 1986 Washington University won the team title four times and placed second four times. During that period Wash U had only two Putnam Fellows. Beginning about 1990 Duke University started to recruit the nation's best high school math students with the same fervor that they recruit the best high school basketball players. Between 1990 and 2000 Duke became Harvard's top rival by winning three times and finishing second to Harvard twice. With these accomplishments together with its third place finish each year from 2001 to 2005, Duke's Putnam team performed as well as its men's basketball team! In the years 2011-2016 MIT has been first three times and second once, Harvard first twice and second twice, and Carnegie Mellon first once (in 2016) and second three times. After finishing in the top five twenty-four times and in second place nine times prior to 2006, Princeton won its first and only team title in 2006 despite having 22 Putnam Fellows.

The only state universities in the U. S. to win the team competition are Michigan State (three times), and the Universities of California at Davis (once) and at Berkeley (once). The highest place ever achieved by a liberal arts college was second by Oberlin College in 1972 beating out third place Harvard. That same year Swarthmore finished fourth, ahead of fifth place MIT. The only tie for first place occurred in 1984 between the University of California at Davis and Washington University. Amazingly, in 1949, 1986, 1987, and 1990 every member of Harvard's team was a Putnam Fellow. The only other institution to do this is Carnegie Mellon in 2016.

A complete list of the top five schools and top five individuals each year can be found at http://en.wikipedia.org/wiki/Putnam_competition. Table 3 following lists every team that has placed fifth or higher in at least one competition along with the total number of Putnam Fellows from each of these institutions. Table 4 is the list of institutions that have had at least one Putnam Fellow.

3. INDIVIDUAL ACCOLADES. As for producing Putnam Fellows, Harvard is again the overwhelming winner with 107 versus MIT's second place seventy-three. On the other

hand, between 2001 and 2017, MIT out did Harvard in Putnam Fellows forty-two to twenty. Harvard has had four Putnam Fellows in the same competition on four occasions. MIT had an unprecedented five Putnam Fellows in 2014 (because of a three-way tie for fourth place there were six Putnam Fellows in 2014) and five Putnam Fellows in 2017 (out of six). Oddly, Harvard did not record its first Putnam Fellow until the sixth competition. Since then the longest period in which Harvard did not have a Putnam Fellow is three years and that happened only once. With the exception of 2004, Harvard has had a Putnam Fellow every year since 1990. Because of tie scores, in sixteen competitions there have been six Putnam Fellows, while in 1959 a four-way tie for fifth place resulted in eight. Fifteen of the seventeen competitions in which there were more than five Putnam Fellows have occurred since 1970. Through 2017, there have been 297 individuals who have been Putnam Fellows for a total of 409, counting multiplicity. Only eight people—Don Coppersmith, Arthur Rubin, Bjorn Poonen, Ravi Vakil, Gabriel Carroll, Reid Barton, Daniel Kane, and Brian Lawrence—have been Putnam Fellows four times. Twenty-two people have been three-time winners: Andrew Gleason, Edward Kaplan, Donald J. Newman, James Herreshoff, Samuel Klein, Randall Dougherty, Eric Carlson, David Ash, Noam Elkies, David Moews, David Grabiner, Kiran Kedlaya, Lenny Ng, J. P. Grossman, Ciprian Manolescu, Aaron Pixton, Arnav Tripathy, Yufei Zhao, Xiaosheng Mu, Evan O’Dorney, Zipei Nie, David Yang, and Yunhun Zhou.² Zhao missed being a four-time Fellow by one point in 2007. In Ash’s fourth attempt at the Putnam in 1984 he finished tied for sixth, just two points short of being a Putnam Fellow for a fourth time. It should be noted that some of the three-time winners only took the exam three times. Barton is the only person ever to win four gold medals in four attempts in the International Mathematical Olympiad for high school students. Barton also won two gold medals in the International Olympiad in Informatics. O’Dorney won the U.S. National Spelling Bee.

Through 2017 there have been forty-four people who have been Putnam Fellows exactly twice. Of the 298 individuals who have been Putnam Fellows 77 (about 26%) were Fellows more than once. It appears that there have never been two members of the same immediate family who have been Putnam Fellows. The closest are brothers Doug and Irwin Jungreis. Doug finished in the top five in 1985 and 1986 and Irwin finished in the second five in 1980 and 1982. The first certain occurrence of a woman finishing in the Honorable Mention or higher categories was in 1948. In the announcement in the *American Mathematical Monthly* [7] she is listed as “M. Djourup (Miss), Ursinus College.” Because many participants use the initials of their first and middle names (e.g., R. P. Feynman) it is possible that Djourup is not the first woman to achieve Honorable Mention or better status. The first woman Putnam Fellow was Ioana Dumitriu from New York University in 1996; the second was Melanie Wood from Duke in 2002; the third was Ana Caraiani from Princeton in 2003 and 2004. Since the ages of participants are not noted, there is no way to know who the youngest and oldest people to win the competition were. Most likely the youngest is Arthur Rubin, who was a winner in 1970 at age 14. John Tillinghast, David Ash, Noam Elkies and Lenny Ng were Putnam Fellows at sixteen. The likely oldest winner is Samuel Klein, who was born in 1934 and won the competitions in 1953, 1959, and 1960. As a group, the five winners of the 2003 competition have amassed the greatest number of Putnam Fellow designations ever: Gabriel Carroll, Reid Barton and Daniel Kane won four time, Ana Caraiani won twice, and Ralph Furmaniak won

²The MAA should create action figures for all the people who were Putnam Fellows three or more times.

once.

Unlike the early years of the Putnam competition, in the past twenty-five years or so many of those who have done exceptionally well in the Putnam competition have participated as high-school students in problem solving summer training camps in the United States and elsewhere in preparation for the annual International Mathematical Olympiad (IMO). In recent years, many of the international students who represented their countries in the IMO have come to the United States for their undergraduate degrees. As a consequence the winners of Putnam competitions now come from many countries. The 2006 Putnam competition illustrates this well. All five 2006 Putnam winners were IMO gold medal recipients and 12 of the top 26 scorers in competition represented countries other than the United States or Canada in the IMO. In 2007 five of the six Putnam Fellows were IMO Gold medalists and nine of the top 24 in the Putnam competition represented countries other than the United States or Canada in the IMO. In 2009 seven of the top 25 in the Putnam competition represented countries other than the United States or Canada in the IMO while in 2010 there were six in the top 25. Between 2010 and 2017 all but three Putnam Fellows were IMO Gold medalists.

Over the seventy-eight competitions between 1938 and 2017 there have been only four perfect scores—one in 1987, two in 1988, and one in 2010. Although the top five scorers are always listed alphabetically, it is known that the 1987 perfect score was achieved by David Moews. What is amazing about this score is that the 1987 exam was a difficult one. The median score was one point and twenty-six points put one in the top two hundred (out of 2,170 participants). In 1987 the second highest score was 108, the third highest score in 1988 was 119, and the second highest in 2010 was 118. The winners of the 1987 and 1988 competitions rank among the strongest groups of Putnam Fellows ever. Among them are Bjorn Poonen and Ravi Vakil, both four-time Putnam Fellows, David Moews and David Grabiner, both three-time Putnam Fellows, and Mike Reid, a two-time Putnam Fellow. In contrast to the 1988 scores, of the 1,260 contestants in the 1963 competition the highest score was sixty-two.

Two changes were made in 1992 regarding the recognition of individuals. In previous competitions the announcements of winners alphabetically identified the top ten as the five highest ranking participants and the next five highest. The next group of 30-35 highest ranking people was designated “Honorable Mention.” In 1992 the announcement of the results put the top 25 into four categories: the five highest ranking individuals, the next five highest, the next five highest, the next ten highest. The number in the Honorable Mention group remained at about 30-35. The other change made in 1992 was the addition of an “Elizabeth Lowell Putnam Award” given from time to time to a female participant with a high score. Beginning in 1997 the top 25 (approximately) finishers were put into three categories: the five highest ranking individuals, the next ten highest, then the next ten highest. Through 2017, there have been thirteen individual winners. Of these, Ioana Dumitriu and Alison Miller won it three times and Ana Caraiani and Melanie Wood won it twice. Dumitriu, Caraiani, and Wood were Putnam Fellows. The only institution to have more than one woman win the Elizabeth Lowell Putnam award is MIT with three. The 2004 competition was a highwater year for women. In addition to Caraiani, Miller, two other women finished in the top fifteen, four more received honorable mention, and another eleven finished in the top 200. Two of Princeton’s three-member team, which was second to MIT, were women.

For most of the years between the late 1940s and the early 1990s Harvard far outpaced all others schools in the number of individuals receiving honorable mention status or higher. In

1991 Harvard had 11 and MIT had just 1 in that group. By 1993 MIT narrowed the margin to 8-6 in favor of Harvard. The first time that MIT surpassed Harvard was 1998 with the totals 11-9. In recognition of the significantly increasing number of participants, between 2002 and 2016 the number of those designated honorable mention has gradually increased from approximately 45 to 60. In 2017 the number was 75. Since 1998 MIT has widened its edge over Harvard in the number of individuals receiving honorable mention status or higher with the widest margin of 38-7 occurring in 2017. In part, the recent disparity between MIT and Harvard is due to the fact that MIT has about four times as many math majors as Harvard. Among the ten institutions in the 2012 competition that had the greatest number of people to achieve honorable mention or higher status, the number from MIT exceeded the total of the other nine. Of the top 201 finishers in 2013, 57 were from MIT. During the years 2012-2014, MIT had twelve Putnam Fellows, Harvard had four, and all other schools combined had zero. Despite MIT's deep pool of talent, between 1998 and 2017 Harvard won the team competition eight times to MIT's seven times. In 2012 MIT had 12 who placed in the top 25 to Harvard's 3 but only one MIT team member was in the top 25 whereas Harvard had two team members in the top 5. That put Harvard in first place and MIT in second.

4. A PUTNAM WHO'S WHO. Over the years many distinguished mathematicians and scientists have participated in the Putnam. Among them are Fields Medalists John Milnor, David Mumford, Daniel Quillen, Paul Cohen, John G. Thompson, and Manjul Bhargava. Milnor, Mumford, and Quillen were Putnam Fellows; Cohen was in the second five; Thompson received Honorable Mention; Bhargava was in the top 25. Physics Nobel Laureates who have received Honorable Mention or better are Richard Feynman, a Putnam Fellow in 1939, Kenneth G. Wilson, a two-time Putnam Fellow, Steven Weinberg, and Murray Gell-Mann. The Nobel Prize winner in Economics John Nash (of "A Beautiful Mind" fame), to his great disappointment, finished in the second five of 147 individuals in 1947. Thompson won the \$1,000,000 Abel Prize in 2008, Milnor won it in 2011, and Nash won it in 2014. Eric Lander, one of the principal leaders in the Human Genome Project, finished in the second five in 1976. Both Mumford and Lander are MacArthur Fellows. Craig Gentry, 1993 Putnam Fellow, is a MacArthur Fellow. Distinguished computer scientist Donald Knuth received Honorable Mention in 1959. American Mathematical Society Presidents who did well in the Putnam are Irving Kaplansky (Putnam Fellow, 1938), Andrew Gleason (Putnam Fellow, 1940, 1941, 1942), Felix Browder (Putnam Fellow, 1946), David Vogan (Putnam Fellow, 1972) and AMS and MAA President Ron Graham (Honorable Mention, 1958). Putnam Fellows in National Academy of Sciences include Elwyn Berlekamp, Felix Browder, Eugenio Calabi, Noam Elkies, Andrew Gleason, Melvin Hochster, Roger Howe, Irving Kaplansky, George W. Mackey, John W. Milnor, David Mumford, Daniel G. Quillen, Lawrence A. Shepp, Peter W. Shor, Richard G. Swan, David Vogan, and Kenneth G. Wilson. Cohen, Browder, Thompson, and Mumford are National Medal of Science laureates. Many others who have done well in the Putnam have won the prestigious research awards given by the American Mathematical Society. The 1956 Harvard team had both a future Nobel prize winner (Wilson) and a future Fields Medalist (Mumford). Both were Putnam Fellows that year and Harvard's team finished first.

One might wonder how the winners of the AMS/MAA/SIAM Morgan Prize for outstanding research by an undergraduate student have done in the Putnam Competition. Of the twenty-two recipients through 2017 Wood, Barton, Kane, Manolescu, Pixton, and Larson have

been Putnam Fellows. Three-time Putnam Fellows Kedlaya, Ng, Zhao, and O’Dorney received Honorable Mention for the Morgan Prize.

5. CONCLUSION. Table 5 provides the top five scores, the mean of the top five scores, and the median score for each competition between 1967 and 2017.³ Note that in seven of those years the median score was zero and in ten of them it was one! Between 1999 and 2017, only five times was the median score greater than 1. Also observe that in 1995 there was a three-way tie for first place with a score of 86 and a two-way tie for second place with a score of 85. In the period 1967–2017 the largest gap between the top score and the fifth highest score was thirty-five, while the largest gap between highest top score and the second highest score was twenty-two. The largest median in the period was 19; the average median score is 4.1; the median of the median score is 2; the median score for the past 20 years is 1. Between 1996 and 2017 the median of the median scores is 1. The greatest number of zero scores also occurred in 2015, when 2367 out of 4275 participants registered scores of zero. The highest percentage of scores of zero occurred in 2006 with 62.6% of the scores being zero. Table 6 gives the mean score, the percentage of the score of 0, the score needed to finish in the top 200 (approximately) in the period from 1996 to 2017, and the score needed to finish in the top 500 (approximately) in the period from 1996 to 2017.

Is there a lesson to be learned by examining the results of the Putnam competition? It seems that doing well on the Putnam exam correlates well with high achievement as a professional mathematician, but many of the best research mathematicians have not scored high on the Putnam and of course many have not even taken the exam.

Oh, by the way, the cadets of West Point beat Harvard that day in 1933. A cadet had the top individual score. Army’s victory was reported in the newspapers and the Army team received a special letter of congratulations from the Army Chief of Staff, General Douglas MacArthur.

Reference [7], written by Putnam Fellows Kedlaya, Poonen, and Vakil, gives the problems with solutions and commentary from the Putnam competitions from 1985-2000. Reference [3] provides an early history of the Putnam Competition. References [4] and [5] are articles that relate Putnam trivia. Reference [1] is an article that provides the views of the Putnam competition by a number of Putnam fellows. The web site <http://www.d.umn.edu/~jgallian/putnamfel/PF.html> provides career information about Putnam Fellows. Problems and solutions from 1985-2017 are at <http://amc.maa.org/a-activities/a7-problems/putnamindex.shtml>

³This was all the data that I could locate.

Table 1. Number of participants in the first seventy-eight competitions.

<i>Year</i>	<i>Number</i>	<i>Year</i>	<i>Number</i>	<i>Year</i>	<i>Number</i>
1938	163	1967	1592	1994	2314
1939	200	1968	1398	1995	2468
1940	208	1969	1501	1996	2407
1941	146	1970	1445	1997	2510
1942	114	1971	1596	1998	2581
1946	67	1972	1681	1999	2900
1947	145	1973	2053	2000	2818
1948	120	1974	2159	2001	2954
1949	155	1975	2203	2002	3349
1950	223	1976	2131	2003	2615
1951	209	1977	2138	2004	3733
1952	295	1978	2019	2005	3545
1953	256	1979	2141	2006	3640
1954	231	1980	2043	2007	3753
1955	256	1981	2043	2008	3627
1956	291	1982	2024	2009	4036
1957	377	1983	2055	2010	4296
1958 S	430	1984	2149	2011	4440
1958 F	506	1985	2079	2012	4277
1959	633	1986	2094	2013	4113
1960	867	1987	2170	2014	4320
1961	1094	1988	2096	2015	4275
1962	1187	1989	2392	2016	4164
1963	1260	1990	2347	2017	4638
1964	1439	1991	2325		
1965	1596	1992	2421		
1966	1526	1993	2356		

Table 2. Number of teams 1975–2017.

<i>Year</i>	<i>Number</i>	<i>Year</i>	<i>Number</i>	<i>Year</i>	<i>Number</i>	<i>Year</i>	<i>Number</i>
1975	285	1985	264	1995	306	2005	395
1976	264	1986	270	1996	294	2006	402
1977	266	1987	277	1997	313	2007	413
1978	246	1988	257	1998	319	2008	405
1979	258	1989	288	1999	346	2009	439
1980	251	1990	289	2000	322	2010	442
1981	251	1991	291	2001	336	2011	460
1982	249	1992	284	2002	376	2012	402
1983	256	1993	291	2003	401	2013	430
1984	264	1994	284	2004	411	2014	431
						2015	447
						2016	415
						2017	464

Table 3. Winning teams in the first seventy-eight competitions.

<i>Institution</i>	<i>First Place</i>	<i>Second Place</i>	<i>Third Place</i>	<i>Fourth Place</i>	<i>Fifth Place</i>	<i>Total</i>	<i>Putnam Fellows</i>
Harvard University	29	12	14	6	2	63	107
Massachusetts Inst. Tech.	10	11	10	9	7	47	73
California Inst. Tech.	10	3	7	5	7	32	25
University of Toronto	4	5	4	5	1	19	23
Washington University	4	4		1	2	11	6
Duke University	3	2	6		1	12	6
Brooklyn College	3	1	1			5	5
Michigan State University	3			2		5	5
University of Waterloo	2	3	6	3	5	19	8
Cornell	2	3	1	1	2	9	5
Polytechnic Inst. Brooklyn	2	1				3	3
Princeton University	1	12	6	7	5	31	22
University of Chicago	1	3	3	1	3	11	10
U. California, Berkeley	1	1	2	5	2	11	16
U. California, Davis	1	1		1		3	2
Queen's University	1		1	1		3	1
Case Western Reserve	1			2	1	4	4
Carnegie Mellon	1	3	2	1	2	9	3
Yale University		3	1	4	3	11	10
Columbia University		2	3			5	8
Rice University		1	1	1	1	4	3
U. Pennsylvania		1	1	1		3	3
City College New York		1		4		5	10
Dartmouth		1			1	2	2
U. British Columbia		1			1	2	1
Oberlin College		1				1	
U. California, Los Angeles				2		2	2
Cooper Union			2			2	1
Stanford University			1	8	3	12	4
Harvey Mudd College			1		1	2	
U. Maryland, College Park			1		1	2	
New York University			1			1	3
Miami University			1			1	
Mississippi Women's College			1			1	
Rensselaer Polytechnic Inst.			1			1	

Table 3 (cont.). Top 5 teams in the first seventy-eight competitions.

<i>Institution</i>	<i>First Place</i>	<i>Second Place</i>	<i>Third Place</i>	<i>Fourth Place</i>	<i>Fifth Place</i>	<i>Total</i>	<i>Putnam Fellows</i>
U. Michigan, Ann Arbor				1	2	3	
Kenyon College				1		1	2
Swarthmore College				1		1	1
University of Manitoba				1		1	1
Illinois Inst. Technology				1		1	
McGill University				1		1	1
Stony Brook University				1			1
University of Kansas					1	1	

Table 4. Institutions of Putnam Fellows in the first seventy-eight competitions.

<i>Institution</i>	<i>Number</i>
Harvard University	106
Massachusetts Inst. Technology	68
California Inst. Technology	25
University of Toronto	23
Princeton University	22
U. California, Berkeley	16
City College of New York	10
University of Chicago	10
Yale University	10
Columbia University	8
University of Waterloo	9
Duke University	6
Washington University	6
Carnegie Mellon	6
Brooklyn College	5
Cornell University	5
Michigan State University	5
Stanford University	4
Case Western Reserve	4
Polytechnic Institute of Brooklyn	3
Rice University	3
University of Minnesota, Minneapolis	3
University of Pennsylvania	3
New York University	3
Dartmouth College	2
Kenyon College	2
Purdue University	2
University of Alberta	2
University of California, Davis	2
University of California, Los Angeles	2
University of California, Santa Barbara	2

Table 4 (cont.). Institutions of Putnam Fellows in the first seventy-eight competitions.

<i>Institution</i>	<i>Number</i>
Armstrong State University	1
College of St. Thomas	1
Cooper Union	1
Fort Hays Kansas State	1
George Washington University	1
McGill University	1
Reed College	1
Rose Hulman Institute of Technology	1
San Diego State University	1
Santa Clara	1
Simon Fraiser University	1
Swarthmore College	1
Queen's University	1
Union College	1
University British Columbia	1
University of Detroit	1
University of Manitoba	1
University of Missouri, Rolla	1
University of North Carolina, Chapel Hill	1
University of Pittsburgh	1
University of Washington at Seattle	1
Wesleyan	1
Williams College	1

Table 5. Top five scores, mean of top 5, overall median for the 1967–2017.

<i>Year</i>	<i>1</i>	<i>2</i>	<i>3</i>	<i>4</i>	<i>5</i>	<i>Top 5 mean</i>	<i>Exam median</i>
1967	67	62	60	58	57	60.8	6
1968	93	92	89	85	85	88.8	10
1969	87	82	80	79	73	80.2	10
1970	116	107	104	97	96	104.0	4
1971	109	90	88	84	74	89.0	11
1972	85	79	66	63	59	70.4	4
1973	106	86	86	78	76	86.4	7
1974	77	70	62	61	57	65.4	6
1975	88	87	86	84	80	85.0	6
1976	74	70	68	64	61	67.4	2
1977	110	103	90	90	88	94.2	10
1978	90	77	74	73	71	77.0	11
1979	95	90	87	87	73	86.4	4
1980	73	72	69	68	66	69.6	3
1981	93	72	64	60	60	69.8	1
1982	98	90	88	85	82	88.6	2
1983	98	88	81	80	79	85.2	10
1984	111	89	81	80	80	88.2	10
1985	108	100	94	94	91	97.4	2
1986	90	89	86	82	81	85.6	19
1987	120	108	107	90	88	102.6	1
1988	120	120	119	112	110	116.2	16
1989	94	81	78	78	77	81.6	0
1990	93	92	87	77	77	85.2	2
1991	100	98	97	94	93	96.4	11
1992	105	100	95	95	92	97.4	2
1993	88	78	69	61	60	71.2	10
1994	102	101	99	88	87	95.4	3
1995	86	86	86	85	85	85.6	8
1996	98	89	80	80	76	88.4	2
1997	92	88	78	71	69	79.6	1
1998	108	106	103	100	98	103.0	10
1999	74	71	70	69	69	70.6	0
2000	96	93	92	92	90	92.6	0
2001	101	100	86	80	80	89.4	1
2002	116	108	106	96	96	104.4	3
2003	110	96	95	90	82	94.6	1
2004	109	101	99	89	89	97.4	0
2005	100	98	89	86	80	90.6	1
2006	101	99	98	92	92	96.4	0
2007	110	97	91	90	82	94.0	2

Table 5 (cont.). Top five scores, mean of top 5, overall median for the 1967–2017.

<i>Year</i>	<i>1</i>	<i>2</i>	<i>3</i>	<i>4</i>	<i>5</i>	<i>Top 5 mean</i>	<i>Exam median</i>
2008	117	110	108	102	101	107.4	1
2009	111	109	100	98	97	103.0	2
2010	120	118	117	110	109	114.8	2
2011	91	87	81	71	70	80	1
2012	100	87	81	80	78	85.2	0
2013	99	93	91	91	88	92.4	1
2014	96	89	85	81	81	86.4	3
2015	99	90	90	89	82	90.4	0
2016	114	103	102	100	97	103.5	1
2017	89	88	87	82	81	86.2	1

Table 6. Mean, percent 0, Top 200 (approx), Top 500 (approx) 1996–2017.

<i>Year</i>	<i>Mean</i>	<i>pct. 0</i>	<i>Top 200</i>	<i>Top 500</i>
1996	8.7	36.7	26	17
1997	7.3	47.7	26	12
1998	14.8	30.3	43	28
1999	6.3	60.2	22	11
2000	5.3	57.7	22	11
2001	8.9	44.9	37	20
2002	11.0	34.7	41	24
2003	7.1	27.8	31	18
2004	8.4	53.6	40	22
2005	7.9	46.7	33	20
2006	6.2	62.6	32	14
2007	7.0	42.5	31	21
2008	9.5	47.2	41	22
2009	9.5	43.7	38	22
2010	11.9	47.0	49	31
2011	4.4	46.0	24	13
2012	8.2	52.7	33	23
2013	8.3	49.8	32	21
2014	9.7	34.4	39	27
2015	5.3	55.4	26	12
2016	9.4	45.6	42	29
2017	7.9	49.0	40	26

6. APPENDIX I: EXAMINATION QUESTIONS FOR THE FIRST WILLIAM LOWELL PUTNAM MATHEMATICAL COMPETITION, APRIL 16, 1938.

MORNING SESSION: 9:00 to 12:00 NOON.

1. A solid is bounded by two bases in the horizontal planes $z = h/2$ and $z = -h/2$, and by such a surface that the area of every section in a horizontal plane is given by a formula of the sort $\text{Area} = a_0z^3 + a_1z^2 + a_2z + a_3$ (where as special cases some of the coefficients may be 0). Show that the volume is given by the formula $V = (1/6)h[B_1 + B_2 + 4M]$, where B_1 and B_2 are the areas of the bases, and M is the area of the middle horizontal section. Show that the formulas for the volume of a cone and a sphere can be included in this formula when $a_0 = 0$.

2. A can buoy is to be made of three pieces, namely, a cylinder and two equal cones, the altitude of each cone being equal to the altitude of the cylinder. For a given area of surface, what shape will have the greatest volume?

3. If a particle moves in a plane, we may express its coordinates x and y as functions of the time t . If $x = t^2 - t$ and $y = t^4 + t$, show that the curve has a point of inflection at $t = 0$, and that the velocity of the moving particle has a maximum at $t = 0$.

4. A lumberman wishes to cut down a tree whose trunk is cylindrical and whose material is uniform. He will cut a notch, the two sides of which will be planes intersecting at a dihedral angle θ along a horizontal line through the axis of the cylinder. If θ is given, show that the least volume of material is cut when the plane bisecting the dihedral angle is horizontal.

5. Evaluate the limits:

$$(a) \lim_{n \rightarrow \infty} \frac{n^2}{e^n} \quad (b) \lim_{x \rightarrow 0} \frac{1}{x} \int_0^x (t + \sin 2t)^{1/t} dt$$

6. A swimmer stands at one corner of a square swimming pool and wishes to reach the diagonally opposite corner. If w is his walking speed and s is his swimming speed ($s < w$), find his path for the shortest time. [Consider two cases: (a) $w/s < \sqrt{2}$ and (b) $w/s > \sqrt{2}$].

7. TAKE EITHER (a) or (b).

(a) Show that the gravitational attraction exerted by a thin homogeneous spherical shell at an external point is the same as if the material of the shell were concentrated at its center.

(b) Determine all the straight lines which lie upon the surface $z = xy$, and draw a figure to illustrate your result.

AFTERNOON SESSION: 2:00-5:00 P.M.

8. TAKE EITHER (a) or (b).

(a) Let A_{ik} be the cofactor of a_{ik} in the determine

$$\begin{vmatrix} a_{11} & a_{12} & a_{13} & a_{14} \\ a_{21} & a_{22} & a_{23} & a_{24} \\ a_{31} & a_{32} & a_{33} & a_{34} \\ a_{41} & a_{42} & a_{43} & a_{44} \end{vmatrix}.$$

Let D be the corresponding determinant with a_{ik} replaced by A_{ik} . Prove $D = d^3$.

(b) Let $P(y) = Ay^2 + By + C$ be a quadratic polynomial in y . If the roots of the quadratic equation $P(y) - y = 0$ are a and b ($a \neq b$), show that a and b are roots of the biquadratic

equation $P[P(y)] - y = 0$. Hence write down a quadratic equation which will give the other two roots, c and d , of the biquadratic. Apply this result to solving the following biquadratic equation:

$$(y^2 - 3y + 2)^2 - 3(y^2 - 3y + 2) + 2 - y = 0.$$

9. Find all the solutions of the equation

$$yy'' - 2(y')^2 = 0$$

which pass through the point $x = 1, y = 1$.

10. A horizontal disc of diameter 3 inches is rotating at 4 revolutions per minute. A light is shining at a distant point in the plane of the disc. An insect is placed at the edge of the disc furthest from the light, facing the light. It at once starts crawling, and crawls so as always to face the light, at 1 inch per second. Set up the differential equation of motion, and find at what point the insect again reaches the edge of the disc.

11. Given the parabola $y^2 = 2mx$. What is the length of the shortest chord that is normal to the curve at one end?

12. From the center of a rectangular hyperbola a perpendicular is dropped upon a variable tangent. Find the locus of the foot of the perpendicular. Obtain the equation of the locus in polar coordinates, and sketch the curve.

13. Find the shortest distance between the plane $Ax + By + Cz + 1 = 0$ and the ellipsoid $x^2/a^2 + y^2/b^2 + z^2/c^2 = 1$. (For brevity, let

$$h = 1/\sqrt{A^2 + B^2 + C^2} \text{ and } m = \sqrt{a^2A^2 + b^2B^2 + c^2C^2}.)$$

State algebraically the condition that the plane shall lie outside the ellipsoid.

7. APPENDIX II: POSSIBLE MOST DIFFICULT PROBLEMS ON PUTNAM COMPETITION BETWEEN 1974-2011

1979 competition (no positive scores)

A6 Let $0 \leq p_i \leq 1$ for $i = 1, 2, \dots, n$. Show that

$$\sum_{i=1}^n \frac{1}{|x - p_i|} \leq 8n \left(1 + \frac{1}{3} + \frac{1}{5} + \dots + \frac{1}{2n-1} \right)$$

for some x satisfying $0 \leq x \leq 1$.

2011 competition (no positive scores)

B6 Let p be an odd prime. Show that for at least $(p+1)/2$ values of n in $\{0, 1, 2, \dots, p-1\}$, $\sum_{k=0}^{p-1} k!n^k$ is not divisible by p .

Acknowledgment. The data in Table 3 was kindly provided by Jerry Heuer, Leonard Klosinski, and Jerry Alexanderson. I wish to thank Doug Jungreis, Kiran Kedlaya, Bjorn Poonen and Ravi Vakil for their comments on a draft of the article that appeared in the Monthly. No doubt this article set a record for the most number of Putnam Fellows to read a draft of a Monthly article.

References

- [1] G. L. Alexanderson, Leonard F. Klosinski, and Loren C. Larson, How Putnam Fellows view the competition, *Focus* December 2004, 14-15.
- [2] D. C. Arney, Army beats Harvard in football and mathematics!, (September, 1994) *Math Horizons* 14-17.
- [3] G. Birkhoff, The William Lowell Putnam Mathematical Competition: Early History. In Gleason, Andrew M., R. E. Greenwood, L. M. Kelly, The William Lowell Putnam Mathematical Competition/ Problems and Solutions: 1938-1964, Washington, DC, Mathematical Association of America, 1980.
- [4] J. A. Gallian, Fifty years of Putnam trivia, *Amer. Math. Monthly* **96** (1989) 711-713.
- [5] J. A. Gallian, Putnam trivia for the 90s, *Amer. Math. Monthly* **107** (2000) 733-735.
- [6] J. A. Gallian, The first sixty-six years of the Putnam competition, *Amer. Math. Monthly* **111** (2004) 691-699, <http://dx.doi.org/10.2307/4145042>.
- [7] K. S. Kedlaya, B. Poonen, and R. Vakil, *The William Lowell Putnam Mathematical Competition 1985-2000: Problems, Solutions, and Commentary*, Mathematical Association of America, Washington, D.C., 2002.
- [8] G. W. Mackey, The William Lowell Putnam Mathematical Competition *Amer. Math. Monthly* **55** (1948) 630-633. <http://dx.doi.org/10.2307/2305618>.

Joe Gallian received a B.A. degree from Slippery Rock State University in 1966 and Ph.D. from Notre Dame in 1971. He has been at the University of Minnesota Duluth since 1972, where he is a University Distinguished Professor of Teaching. He has served on the editorial boards of the American Mathematical Monthly, *Math Horizons*, the *Mathematics Magazine*, and *FOCUS*. He has received the MAA's Haimo Award for Distinguished Teaching, the Gung and Hu Award for Distinguished Service to Mathematics, Allendoerfer award and Evans award for exposition. He was a co-director of the MAA's Project NExT 1994-2012 and has been an MAA Pólya Lecturer. He has served terms as MAA Second Vice President and President. He was a member of the inaugural class of AMS Fellows. In 2003 he was named Minnesota Professor of the Year by the Carnegie Foundation for the Advancement of Teaching. Since

1977 he has run a summer undergraduate research program that has had a total of 239 participants through 2017. He has had the good fortune to work with forty-one Putnam Fellows (77 counting multiplicity) and 34 IMO Gold Medal winners (51 counting multiplicity) in his summer programs.

Department of Mathematics and Statistics, University of Minnesota Duluth, Duluth, MN 55812
jgallian@d.umn.edu