

# INDEX

- Abandoned field, 386
- Abomasum, 141, 145, 148, 156, 342
- Absorption
  - nutrient, 46, 78, 304
  - thermal, 67, 77, 78
- Acclimation, 277
- Acclimatization, 277, 278
- Acer saccharum*. *See* Sugar maple
- Acorn production, 309, 320, 321
- Actinomycetes, 50
- Activity 8, 215, 246, 274, 277, 279, 286, 287, 304, 314, 348, 352, 356, 362, 368, 371, 395, 400
  - diurnal variations in, 4, 129, 216, 293
  - See also* individual activities
- Advection, 86, 267
- Age, 25, 72, 367, 391, 393, 401, 408
- Air, 41, 45
- Air flow. *See* Wind
- Albedo, 85
- Alfalfa, 309
- Algae, 50, 52, 299
- Alimentary canal, 141
- Allen's rule, 295
- Alopex lagopus*. *See* Arctic fox
- Altitude, 58
- Amensalism, 225
- Amino acids, 25, 47, 109, 307
- Analog, 5, 12
- Anas discors*. *See* Blue-winged teal
- Anas rubripes*. *See* Black ducks
- Animal communities, 299, 304, 308, 391
- Animal orientation
  - in wind, 274
  - See also* Posture; Thermoregulatory mechanisms
- Animal requirements, 365. *See also* specific requirements
- Antlers, 7, 211, 218, 304, 313
- Ants, 51
- Arctic fox
  - vascular control, 282
  - See also* Fox; Red fox
- Aromatic compounds, 166, 168, 171
- Ash, 9, 138
- Aspen, 303, 310, 315
- Association of Official Agricultural Chemists, 137
- Atmosphere, 42, 60, 81-82
  - energy balance, 83, 266
  - infrared emission, 80
  - water, 62
- Autecology, 55
- Average values, use of, 410-411
- Bacteria
  - autotrophic, 50
  - heterotrophic, 50
  - number, 25, 50, 51
  - See also* Rumen, microorganisms
- Badgers, as predators, 227
- Barometric pressure, 8
- Basal area, 302
  - definition of, 301

- Basswood, 303, 318, 325
- Bear
  - as predators, 228, 232
  - sense of smell, 208
- Beaver
  - energy requirements, 314
  - infrared emissivity, 86
- Behavior, 23
  - aggressive, 211
  - community, 321
  - courtship, 314
  - displacement, 230
  - effect of diseases on, 237
  - energy requirements of, 348
  - feeding, 175, 413
  - flight, 175, 208
  - gregarious, 188, 215, 305
  - hunting, 231
  - reproductive, 165, 175, 210, 211, 217, 277
  - seasonal changes in, 233
  - thermoregulatory, 273, 286, 290, 291, 292, 304, 401
  - See also* Interspecies relationships; Intraspecies relationships
- Bergman's rule, 4, 294
- Big game, 315. *See also* individual species
- Bighorn sheep
  - energy requirements for gestation, 354
  - gestation period, 339
  - protein requirements for gestation, 340-341
  - sense of sight, 207
- Biogeochemical cycles, 53
- Biological chronology, 191, 193, 199
- Biomass, 233, 412
- Biosphere, 41, 54, 57, 61
- Bison
  - energy requirements for gestation, 354
  - gestation period, 339
  - intraspecies relationships, 11
  - predation on, 231
  - protein requirements for gestation, 337, 340
- Black body, 77, 85
- Black ducks, metabolism of, 129
- Black-tailed deer
  - chronology, 179
  - energy metabolism, 354
  - food intake, 165
  - metabolism, 117
  - play, 217
  - scents, 208-209
  - sense of taste, 20
  - sexual maturity, 179
  - territory, 211
  - weight, 165, 181
- Blood
  - circulation as thermal transport system, 247
  - flow, 90
  - glucose, 141, 171
- Blueberry, 310
- Blue-winged teal
  - chronology, 195-197
  - egg production, 197
  - metabolism, 126
- Bobcats
  - infrared emissivity, 86
  - natural history, 201
  - as predators, 227
  - senses, 25, 208
- Body characteristics
  - composition, 7, 299, 304
  - fat reserves, 366, 387, 405, 407, 412
  - growth, 36, 37, 38, 109, 165, 179, 190, 196, 275, 312, 334, 336, 354, 395, 396, 400, 405, 413
  - size, 293, 372, 384
  - weight, 2, 6, 123, 128, 166, 180, 181, 314, 334, 345, 362, 366, 367, 371-374, 381, 382, 384, 390-392, 397, 400, 401, 409-416
  - See also* Metabolic weight
- Bogs, 44, 315
- Bonasa umbellus*. *See* Ruffed grouse
- Boundary layer. *See* Thermal boundary region
- Breeding, 4, 24, 128, 167, 179, 193, 348, 370, 396, 413
- Brood rearing, 192, 193, 197, 200, 314
- Brown fat, 278
- Browse. *See* Forage
- Browsing, energy cost of, 350
- Breathing rates, 219
- Budgerigars, energy requirements for flying, 124
- Buffers, 229-230
- Bugling, 207, 212
- Bunchgrass, 303
- Burning, 419
- Burr oak, 325
- Calcium, 313
- Canachites canadensis*. *See* Spruce grouse
- Canis lupus*. *See* Wolf
- Canopy, 83, 300, 303, 307, 319, 324, 406
  - density, 407
  - mechanical characteristics, 309
  - optical characteristics, 309
  - thermal characteristics, 309
- Carbohydrates, 138, 140
- Carbon, 53
- Carbon cycle, 61
- Carbon dioxide, 61, 79, 153
  - fertilization, 324
- Caribou
  - activity, 213, 217
  - body temperature, 281, 282
  - energy requirements for gestation, 354
  - energy requirements for running, 351
  - food quality, 310
  - genetic adaptations, 293
  - gestation period, 339
  - habitat, 325
  - hair insulation, 251

- heat loss, 9, 292
- infrared emissivity, 86
- interspecies relationships, 208, 213
- intraspecies relationships, 212, 213, 292
- metabolism, 119, 120, 121, 251, 286
- migration, 3, 305
- parturition, 212
- predators on, 231
- protein requirements for gestation, 340-341
- sense of sight, 207
- sense of smell, 208
- sleep, 217
- thermoregulatory responses, 289, 292
- vascular control, 281, 282
- weight, 181
- wind relationships, 289
- Carnivores, 15, 141, 232. *See also* individual species
- Carrying capacity, 73, 159, 176, 178, 182, 296, 331, 333-389, 394, 404, 409, 412. *See also* Deer-day
- Castor canadensis*. *See* Beaver
- Cattle
  - absorption coefficients of hair, 257
  - calf weight, 353
  - digestion, 152, 306, 307, 309
  - endogenous urinary nitrogen, 335
  - energy requirements for gestation, 352
  - energy requirements for milk production, 374
  - energy requirements for walking, 349
  - food intake, 128, 153
  - gestation period, 339
  - hair insulation, 250, 251
  - metabolic fecal nitrogen, 336
  - metabolic rhythms, 129
  - metabolism, 127, 128, 129, 278
  - perspiration, 284
  - protein requirements, 334
  - protein requirements for gestation, 337-338, 340
  - rumen contents, 154
  - ruminoreticular cycle, 148, 153
  - stomach capacity, 143
  - weight, 128, 374
- Cell characteristics
  - contents, 139, 140, 169, 170, 171
  - metabolism, 175, 178
- Cellulose, 50, 152, 170
  - digestion, 177
- Centipedes, 51
- Central nervous system, 283
- Cervidae*. *See* species of deer family
- Cervus elaphus*. *See* Red deer
- Chemical communication, 182
- Chlorophyll, 50
- Clethrionomys glareolus*. *See* Red-backed voles
- Circulation of blood. *See* Blood
- Climate, 46
- Clouds, 9, 62
  - density of, 14
  - formations of, 63
- Coat color, 293, 294
- Cobalt, 178
- Cold stress, 278
- Color vision. *See* Senses, sight
- Commensalism, 225
- Communities. *See* Animal communities; Coniferous community; Deciduous forest community; Plant communities
- Compensatory growth. *See* Body characteristics
- Competition, 225, 238
- Computer analysis, 35, 317, 324, 365, 413
- Computing systems, 33, 42, 60, 339, 408, 419
  - calculators, 60
- Conception, 9, 395, 412, 413, 416
- Conductance, overall, 253
- Conduction, 43, 69, 72, 75, 97, 245, 247, 248, 249, 250, 253, 265, 266, 267, 284, 287
  - air, 98
  - soil, 44
- Conductivity coefficient, 98. *See also* Conduction
- Coniferous community, 300, 301, 315, 386, 407. *See also* Plant communities
- Connochaetes taurinus*. *See* Wildebeest
- Conservation of heat energy, 73, 270, 276, 277, 287, 292, 352, 401
- Consumers, 317, 331, 406
  - primary, 235
  - secondary, 235
- Convection, 75, 84, 92, 94, 245, 247-250, 258, 266, 277, 283, 284, 296
  - cylinder size, effects of, 96
  - forced, 92, 95, 254, 256, 257, 260, 261, 266, 268, 269
  - free, 92, 95, 254, 255, 260, 261, 266
- Convection coefficients, 95, 96, 97, 265, 270, 271
- Convectors, 245, 248, 249
- Correlations, 7
- Cottontail rabbit
  - infrared emissivity, 86
  - radio telemetry, 228
- Cover, 26, 27, 107, 182, 277, 406
  - mechanical characteristics of, 229
  - optical characteristics of, 229
  - selection of, 286
  - thermal characteristics of, 27, 229
  - types of, 288, 410
  - winter, 261, 267
- Coyotes
  - food habits, 10
  - natural history, 201
  - as predators, 10, 227, 229, 233
- Critical thermal environment, 175, 273ff, 401
  - critical hyperthermal environment, 130, 274, 286
  - critical hypothermal environment, 130, 274, 281, 405
- Crows, as predators, 227, 228



- Crude fiber, 138
- Crude protein, 137, 309, 368, 369, 371
- Cup anemometer, 70
- Current annual growth (CAG), 318, 412
- Cysts, 50
  
- Daylength, 9, 314, 415
- Deciduous forest community, 300, 301
- Decomposers, 25, 48, 50
- Decomposition, 5, 44, 46, 48, 51, 299, 404
- Deer
  - activity, 25, 27, 62, 207, 246, 274, 288, 305, 362
  - antler growth, 7
  - body composition, 312
  - breeding cycle, 415. *See also* White-tailed deer, chronology
  - color vision, 16
  - cover. *See* White-tailed deer, cover
  - endogenous urinary nitrogen, 335
  - energy requirements, 362, 394, 405
  - energy requirements for gestation, 353-354
  - energy requirements for milk production, 374
  - food availability, 73, 170, 309, 320-321, 399
  - food intake, 377-378
  - food selection, 136, 166, 171, 318, 321
  - habitat, 26, 325
  - hair insulation, 251
  - heart rate, 62
  - home range, 305
  - interspecies relationships, 14, 213, 231, 274
  - intraspecies relationships, 14, 179
  - life history, 200
  - metabolic fecal nitrogen (MFN), 381
  - metabolic rhythms, 294
  - nitrogen recycling, 378
  - nitrogen requirements. *See* protein requirements
  - noise effects, 131
  - parasites, 130, 237, 293
  - population variations, 229, 371, 401, 405
  - posture, 27, 246, 251, 265, 287, 398, 401
  - predators on, 227, 233
  - protein requirements, 345-347
  - protein requirements for gestation, 340
  - radiant temperature, 85-88
  - radiation exchange, 89
  - reproduction, 12
  - rumen capacity. *See* stomach capacity
  - rumen contents, 155, 156, 369
  - rumen microorganisms, 153, 177
  - sense of hearing, 208
  - sense of smell, 17, 208
  - snow, effects of, 38, 238
  - stomach capacity, 143, 368, 379, 383
  - thermal balance, 21-22
  - weight, 372, 385, 392
  - wind relationships, 71, 85, 94, 288, 289
  - See also* Black-tailed deer; Mule deer; Red deer; White-tailed deer
- Deer-day, 366, 368, 369, 371, 372, 383, 384-388, 419
- Deer mice, infrared emissivity, 86
- Deer tagging, 214
- Defecation, 149
- Defensive behavior, 212
- Density, 68, 302, 303, 371, 390
  - actual, 229
  - absolute, definition of, 301
  - apparent, 229, 329
  - community, definition of, 301
  - mechanical, 27
  - relative, definition of, 301
- Detergents, 140
- Dew, 62
- Diameter breast high (dbh), definition of, 301
- Diet, 279. *See also* Food habits; Forage, intake and selection
- Digestible energy, 306, 352
- Digestible protein, 306, 309
- Digestibility, 167, 168, 177
- Digestion, 135-163, 304
  - in vitro*, 143, 150, 152, 177
  - in vivo*, 150
- Digestive enzymes, 306
- Disease, 275
- Dispersal, 215. *See also* Migration
- Dissipation of heat. *See* Heat loss
- Dogs
  - deer chasing, 274, 398
  - energy requirements for walking, 349
  - hair insulation, 252
- Dollars, 420
- Domestic animals, 4, 5, 352, 354. *See also* Cattle; Goats; Sheep
- Dominance, 217, 410
  - absolute, definition of, 301
  - absolute mean, definition of, 301
  - relative, definition of, 301
- Dormancy, 412
- Ducks
  - chronology, 192
  - home range, 209
  - imprinting, 213
  - loafing, 192, 193
  - migration, 197
  - nesting, 12, 26. *See also* chronology
  - predators, 227
  - territories, 209
  - See also* Waterfowl; Black duck; Blue-winged teal; Gadwell; Mallard; Pintail; Shoveller
- Ear orientation, 207. *See also* Senses, hearing
- Earthworms, 51
- Ecological efficiency, 410. *See also* Metabolism
- Ecological equivalents, 28
- Ecological modeling and simulation, 32-39
- Ecological potential, 6
- Ecologist, analytical, 41, 62, 68, 71, 72, 75, 123

- Ecology  
 analytical, 4, 11, 13, 14, 28, 44, 47, 53, 74, 220, 229, 232, 239, 307, 390, 416  
 descriptive, 4  
 nutritive, 107  
 theatrical, 12, 13
- Economic considerations, 236, 331, 419, 421
- Ecosystem, 9, 13, 15, 28, 58, 68
- Egg-laying, 190, 192, 193, 195, 196, 197, 200, 314
- Egg production, 6, 37, 128
- Eland  
 body temperature, 285-286  
 metabolism, 119  
 methane production, 173
- Electrocardiogram, 219
- Electroencephalogram, 219
- Electromagnetic spectrum, 76, 85
- Emissivity, infrared, 79, 84, 257
- Endocrine influences, 128
- Endogenous urinary nitrogen, 334, 335, 345, 371
- Elk  
 activity, 217, 351, 359, 360. *See also* specific activities  
 antler growth, 7  
 energy requirements for activity, 358, 360-361  
 energy requirements for gestation, 354  
 gestation period, 337-339  
 home range, 215, 305  
 interspecies relationships, 213, 238  
 intraspecies relationships, 22-23, 207, 212, 218, 358, 360-361  
 migration, 3, 11, 215, 292, 305  
 play activity, 217  
 population variations, 229, 235  
 predators on, 227-228  
 protein requirements for gestation, 340  
 rumen contents, 312, 318  
 rumen microorganisms, 151  
 rumen pH, 153  
 sexual maturity, 214  
 sleep, 217  
 weight, 181-182
- Energy, 14, 18, 19, 37, 53, 109, 172, 299ff, 374, 379  
 chemical, 41  
 digestible and apparently digestible, 152, 168, 172, 178  
 geothermal, 57  
 gross, 10, 172, 174, 178, 369  
 kinetic, 41  
 net, 10, 174, 176, 177, 178, 352, 369, 387  
 potential, 41  
 true digestible, 174  
 true metabolizable, 174  
*See also* Energy requirements; Thermal energy
- Energy balance, 5, 21, 322
- Energy flow, 14
- Energy requirements, 3, 8, 73, 167, 230, 289, 314, 367, 368, 371, 383, 392, 394, 411  
 for activities, 347, 356  
 daily, 348, 357  
 gestation, 352, 353, 370  
 heart rate, 278  
 maintenance, 347  
 population, 400  
 production, 352  
 seasonal variation, in, 406  
 summary of, 356  
 walking, 387, 398  
 of young, 341  
*See also* specific requirements
- Energy reserve, 413
- Enhydra lutris*. *See* Sea otter
- Environment, 13, 14, 18, 19, 21, 24, 26  
 functional relationships, 304  
 historical, 21, 23, 25  
 operational, 21, 23, 206, 408  
 potential, 21, 23  
 in relation to animal, 404  
 thermal, 24, 275  
 visual, 190, 229
- Environmental quality, 53
- Enzymes, 336
- Epilobium angustifolium*. *See* Fireweed
- Erethizon dorsatum*. *See* Porcupines
- Erythrocytes, 17, 130, 237, 293
- Esophageal groove, 141
- Esophagus, 141
- Ether extract, 138
- Eutrophication, 52
- Evaporation, 43, 46, 64, 75, 98, 102, 245, 247, 273, 284, 286, 405  
 evaporative heat loss, 64, 65, 248, 265, 275, 284, 413  
 heat of vaporization, 43, 98
- Exclosure, 28
- Exosphere, 61
- Farming, 52-53, 227. *See also* Pheasant; Nest, losses
- Fat reserve, 143, 280, 309, 314, 320, 366, 373, 379, 400, 407, 413
- Fear, 131
- Feather structure, 249, 304
- Feces, 336
- Feeding level, 280
- Feral cats, as predators, 227
- Fertilizers and fertilization, 9, 53, 419. *See also* Soil, fertility
- Fetus, 167, 176, 304, 337, 352
- Fire, 9, 315, 325
- Fireweed, 315
- Fish  
 as predators, 227  
 radio telemetry, 218
- First law of thermodynamics, 109, 171, 352
- Floods, 315, 326
- Flying squirrel, infrared emissivity, 86



- Food, 14, 107, 182, 243, 275  
 Food habits, 165, 182, 309. *See also* Forage, intake  
 Food supply. *See* Forage, production  
 Fog, 14, 62  
 Forage, 170, 292, 304, 319, 399  
   chemical analyses, 28, 136, 311  
   chemical relationships, 306  
   competition for, 238  
   foraging, 314, 348, 399  
   intake, 7, 147, 164, 167-171, 304, 371, 372, 375, 376, 377, 378, 380, 399-400, 405  
   passage rates, 368, 369  
   production, 73, 277, 318, 384, 388, 406, 407  
   quality, 10, 378, 405, 406, 410, 419  
   selection, 314, 399-400  
   *See also* Food  
 Fox  
   energy requirements, 230-231  
   hair insulation, 252  
   natural history, 201  
   as predators, 229  
   wind relationships, 231, 289  
 Free-ranging animals, 4  
   energy expenditure, 347  
   *See also* individual species  
 Frequency (plant distribution)  
   absolute, definition of, 301  
   relative, definition of, 301  
   relative community, definition of, 301  
 Frequency of waves, 206  
 Fungi, 50, 299  
 Gadwell, 195, 197  
 Game birds, 8, 11, 41, 231, 238, 286, 289. *See also* individual species  
 Geese  
   hunting, 401  
   imprinting, 213  
   territories, 209  
 Gestation, 128, 167, 190, 192, 362, 368, 371, 378, 385, 395, 400, 405, 412  
   energy requirements for, 352-354  
   protein requirements for, 336-341  
 Glaciation, 326  
*Glaucomys volans*. *See* Flying squirrel  
 Glucose, 155, 171. *See also* Sugars  
 Goats, 147  
   rumination, 147  
   stomach capacity, 143  
   weaning, 144  
 Gophers, interspecies relationships, 238  
 Grassland community, 300  
 Gravity, 13  
 Grazing, energy requirements, 350  
 Greenhouse effect, 80  
 Grey squirrel, infrared emissivity, 86  
 Grizzly bear  
   as predators, 228  
   radio telemetry, 218  
 Ground squirrel, soil relationships, 43, 51  
 Grouse. *See* Prairie chicken; Ruffed grouse; Sage grouse; Sharp-tailed grouse; Spruce grouse  
 Growth. *See* Body characteristics  
 Habitat, 26, 73, 289, 304  
 Haematocrit regulation, 237  
*Haemonchus contortus*. *See* Roundworm, *H. contortus*  
 Hail, 62, 326  
 Hair, 37, 304, 336, 345, 371  
   insulation, 252, 266, 282, 283, 405, 407, 413  
   production, 176  
   *See also* Summer coat; Winter coat  
 Hatching, 193  
 Hawks  
   activity pattern, 8  
   as predators, 227  
 Heart rate, 17, 126, 219, 278, 290  
 Heat absorption, 249  
 Heat capacity, 61  
 Heat dissipation. *See* Heat loss  
 Heat exchange, 126, 245, 281, 321  
   behavioral control, 275  
   perspiratory control, 275  
   respiratory control, 275  
   vascular control, 275  
   *See also* Energy balance; Heat loss; Thermal energy, exchange  
 Heat increments  
   activity, 127  
   diet, 127  
   fermentation, 153, 174, 176, 352  
   nutrient metabolism, 110, 352  
 Heat loss, 9, 129, 246, 249, 250, 265, 273, 274, 280, 281, 284, 286, 287, 288, 291, 352, 411. *See also* Conduction; Convection; Evaporation; Radiation  
 Heat production, 117, 246, 249, 250, 273, 274, 277, 278, 279, 280, 281, 283, 284, 285, 286, 287, 288, 290, 292, 385  
   relation to weight, 276  
   thermogenic responses, 276  
   *See also* Heat increments; Metabolism  
 Heat stress, 7  
 Hemicellulose, 170  
 Hemoglobin type, 293  
 Herbicides, 17, 52, 53  
 Herbivores, 7, 15, 141, 232, 306  
 Hibernation, 294, 304, 312  
 Histology, 144  
 Hoarfrost, 62  
 Homeothermy, 23, 153, 174, 237, 249, 255, 273, 277, 280, 283, 314, 348, 352, 372, 395, 404, 409, 411, 412, 413  
 Home range, 3, 209, 214, 215, 305  
 Hormone balance, 24, 171  
 Horses  
   energy requirements for walking, 349  
   perspiration, 284

- wind relationships, 255
- Host-parasite interaction, 237
  - simulations, 237
- House cats. *See* Feral cats
- Humans, 16-17, 25, 111
  - body temperature, 246
  - energy cost of walking, 349, 350
  - heat exchange, 278
  - interspecies relationships, 213, 235, 351
- Hunter, 27, 418, 419
- Hunting, 235, 236, 391, 401, 419, 420
- Hurricanes, 326
- Hydrologic factors, 300
- Hypothalamus, 246
  
- Ice crystals, 68
- Imprinting, 212, 213
- Incubation, 192, 193, 195, 196, 197, 200, 314
- Infrared emissivities, 85, 86
- Infrared radiation, 16, 62, 78, 90, 294, 407. *See also* Radiation
- Ingestion, 164-185
- Insectivorous animals (moles and shrews), 51
- Insects, 51, 218
- Interdigital gland, 208
- Interspecies relationships, 10, 225-241, 390
- Intestine, 141, 159
- Intraspecies relationships, 11, 206-224, 358, 374, 385, 390
- Ionosphere, 61
- Iron, 10, 130
  
- Jackrabbit, heat loss, 295-296
- Julian calendar, 58, 430-431
  
- Kentucky bluegrass, 309
- Kilocalorie, definition of, 110
  
- Lactation, 6, 128, 167, 176, 190, 341, 354, 362, 368, 369, 374, 395, 400, 405, 412, 413
  - energy requirements for, 355
  - protein requirements for, 345
- Lagopus lagopus*. *See* Willow ptarmigan
- Latitude, 58
- Laughing gulls, energy requirements for flight, 124
- Lepus americanus*. *See* Snowshoe hare
- Lepus californicus*. *See* Jackrabbit
- Lethargy, 286, 287, 290
- Lichens, 299, 315
- Life, 3, 5, 53, 167, 230, 391, 411, 421
- Life form, 13
- Life history. *See* Natural history
- Light, 8, 12, 219, 321, 322. *See also* Daylength; Radiation, solar
- Lignin, 50, 170
- Limiting factor, 370
- Litter, 44
  
- Loess, 45
- Lynx canadensis*. *See* Lynx
- Lynx
  - infrared emissivity, 86
  - as predators, 226-227, 232
- Lynx rufus*. *See* Bobcats
  
- Magpies, as predators, 227
- Maintenance, 190, 314, 333, 372, 375, 394. *See also* Body characteristics, weight
- Mallard
  - chronology, 195-197
  - egg production, 197
  - metabolism, 129
- Man. *See* Humans
- Management, 326, 420
- Maple-basswood stand, 300
- Marmota monax*. *See* Woodchucks
- Marten, infrared emissivity, 86
- Martes americana*. *See* Marten
- Mastication, 147
- Matter, 14, 18, 19, 37, 299ff, 304
- Mechanical barrier, 72, 387, 407
- Mechanical density, 14, 28
- Mercury, 10
- Mesosphere, 60
- Metabolic cycles
  - daily, 11, 293, 347
  - seasonal, 11, 293, 314, 347
- Metabolic fecal energy, 175
- Metabolic fecal nitrogen (MFN), 345, 370, 371, 380, 381, 382
- Metabolic potential, 250, 279, 286
- Metabolic rate, 37, 115, 277, 278, 289, 411, 412
  - basal, 110, 111, 129, 166, 167, 357
  - ecological, 124, 274, 385, 394
  - fasting, 357
- Metabolic urinary energy, 175
- Metabolism, 7, 49, 90, 109-134, 225, 247, 277, 281, 293, 296, 318, 366, 369, 378, 407
  - basal, 274, 278, 279, 280, 288, 291, 294, 351, 356, 359, 360, 371, 385, 394, 395
  - catabolism, 109, 176
  - ecological. *See* Metabolic rate, ecological
  - factors affecting, 123ff
  - fasting, 111, 112, 117, 120, 129, 347, 350
  - inert tissue, 115
  - measurements, 110, 112, 113, 250
  - nutrient, 135, 164, 176, 279
  - resting, 112
  - sex differences, 128
  - standard, 112
  - summit, 112
- See also* Heat increments; Heat production
- Metabolic weight, 334, 394
- Metabolizable energy, 352
- Metatarsal scent, 208
- Meteorological tables, 99
- Methane (CH<sub>4</sub>), 153, 154, 173, 174



- Mice  
 home range, 305  
 interspecies relationships, 238  
 intraspecies relationships, 11  
 metabolism, 122  
 predation on, 230-231  
 reproduction, 12  
 snow effects, 37, 38  
 Microflora. *See* Rumens microorganisms  
*Microtus*. *See* Mice  
*Microtus longicaudus*. *See* Mice  
*Microtus montanus*. *See* Mice  
 Migration, 3, 192, 193, 197, 214, 215, 292, 304, 314, 350  
 Milk, 37, 304, 342, 344, 352  
 production, 7, 342, 344, 352, 354, 355, 356, 371, 374, 395  
*See also* Lactation  
 Millepedes, 51  
 Minerals, 10, 37, 44, 53, 157, 178. *See also* specific minerals  
 Minimum tillage, 52  
 Mink, as predators, 227  
 Mites, 51  
 Mixed hardwoods. *See* Plant communities  
 Models and model-building, 28, 32, 33, 34, 35, 36, 38, 67, 68, 72-74, 320, 366, 419, 420  
 analytical, 321  
 constraints, 370  
 decision-making, 331, 369, 370  
 descriptive, 321  
 error analysis, 14, 368, 387  
 flow sheet, 33  
 inputs, 367-368  
 population models, 230, 408  
 Molds, 50  
 Moles  
 infrared emissivity, 86  
 soil relationships, 51  
 Molting, 192, 193, 274, 314, 405, 412  
 Monkeys, radio telemetry, 218  
 Moose  
 antler growth, 7  
 chronology, 191, 370  
 energy requirements, 292  
 energy requirements for gestation, 337, 339-340, 354  
 energy requirements for milk production, 374  
 genetic adaptations, 293  
 home range, 215, 305  
 interspecies relationships, 213, 237, 238, 412  
 intraspecies relationships, 11, 212, 213, 214  
 life history, 200  
 parasites, 237  
 population variations, 229, 233  
 predators on, 228, 231  
 sense of touch, 207-208  
 snow effects of, 37, 38, 231, 238, 292  
 weight, 181-182, 233-235, 374, 412  
 Mortality, 199, 200, 228, 230, 235, 286, 320, 390, 391, 395, 404, 405, 406, 408, 410, 416  
 Mosses, 315  
 Mountain goats  
 energy requirements for gestation, 354  
 gestation period, 339  
 metabolism, 117, 119  
 protein requirements for gestation, 340-341  
 sense of sight, 207  
 Mountain lions  
 natural history, 201  
 as predators, 228, 232, 235  
 Mouth, 141  
 Mule deer  
 digestion, 177  
 energy requirements for gestation, 354  
 gestation period, 339  
 home range, 215, 238  
 interspecies relationships, 238  
 migration, 3, 215, 292  
 population variations, 391-394  
 protein requirements for gestation, 339, 341  
 stomach capacity, 143  
 weight, 180-181  
 Muscle tissue, 284  
 Muskrats, natural history, 200  
 Mutualism, 130  
 Natal, 408, 410, 416  
 Natural history, 4, 15. *See also* individual species  
*N-dimensional thinking*, 15, 38  
 Nematodes, 51  
 Nest  
 building, 192, 197  
 losses, 196, 227  
 reneating, 193  
 site selection, 193  
 Net energy. *See* Energy, net  
 Net protein. *See* Protein, net  
 Neutralism, 225  
 Nitrogen, 47, 53, 61, 310, 380  
 balance, 5, 366, 380, 381  
 cycle, 61  
 nonprotein nitrogen (NPN), 156. *See also* Urea  
*See also* Protein  
 Nitrogen-free extract (NFE), 140  
 Nitrogen requirements for lactation, 347. *See also* Protein requirements  
 Nitrogen requirements of fawns, 346. *See also* Protein requirements  
 Nitrates, 47  
 Nitrites, 47  
 Nonshivering thermogenesis (NST), 127, 278  
 Nutrient cycling, 3, 5, 7  
 Nutrition, 166, 348. *See also* specific requirements  
 Nutritive evaluation of forages, 139, 167, 168. *See also* Forage, chemical analyses and quality



- Odocoileus hemionus*. See Black-tailed deer; Mule deer
- Odocoileus hemionus columbianus*. See Black-tailed deer
- Odocoileus hemionus sitkensis*. See Black-tailed deer
- Odocoileus virginianus*. See White-tailed deer
- Odor, 190, 209. See also Scent; Senses, smell
- Oil, 129, 249
- Old age, 180
- Olfaction. See Senses, smell
- Omasum, 141, 145, 148, 156, 342
- Optical density, 14, 26, 28. See also Cover
- Oreamnos americanus*. See Mountain goats
- Organism and environment, 16-31, 304. See also Environment
- Orientation. See Thermoregulatory mechanisms
- Oryx, body temperature, 285
- Oxidation, 114
- Oxygen, 53, 61, 277, 278
- Overbrowsing and overgrazing, 325, 399
- Owls
- activity, 8
  - as predators, 227
- Panting, 285
- Papillae, 144, 145, 342
- Parasites, 10, 11, 28, 48, 130, 225, 236, 237, 352, 397, 398
- Parturition, 191, 212, 370, 375, 413
- Pathogens, 10, 130, 236, 352
- Pedioecetes phasianellus*. See Sharp-tailed grouse
- Permafrost, 44
- Peromyscus*. See Deer mice; Mice
- Perspiration, 284
- Pesticides, 25, 53
- pH, 48, 50
- Phasianus*. See Pheasant
- Pheasant
- brood characteristics, 200
  - chronology, 199
  - cover, 26, 27
  - egg-laying, 8-9
  - hatching date. See chronology
  - interspecies relationships, 226
  - natural history, 200
  - population variations, 229
  - predation, 230, 234
  - radiant temperature, 88
  - soil relationships, 9
  - surface area, 264
  - territoriality, 209
  - wind relationships, 88, 231
- Phenology, 9, 12, 299, 308, 318
- chemical, 309
  - morphological, 308, 309
  - plant, 233
- Pheromones, 208, 304, 305
- Phosphorus, 61, 313
- Photosynthesis, 49, 50, 57, 299, 300, 306, 307, 308, 314, 320, 321, 322, 324
- Physiological efficiency, 372, 380, 412
- "premies," 397
- Physiological resistance, 398
- Physiological responses, 291
- Physiological rhythms, 398
- Physiology, 17, 237, 273
- cellular, 325
- Phytoplankton, 315
- Picea marianna*, 48
- Pigs, 255
- Piloerection, 251, 282, 283, 284, 285, 290
- Pintail
- chronology, 195-197
  - egg production, 197
- Pinus resinosa*. See Red pine
- Pinus strobus*, 316
- Plankton, 52
- Plant canopy, 66, 67, 300, 307, 324
- Plant communities, 15, 28, 299-329, 386, 391
- crop structure, 322
  - leaf angle, 324
  - See also Succession
- Plant physiology, maturation, 309
- Plant succession, 315
- climax decreasers, 325
  - climax increasers, 325
  - invaders, 73, 325
  - pioneer plants, 315
  - primary, 315
- Playing, 348
- Plotless sampling techniques
- closest individual method, 302
  - nearest neighbor method, 302
  - random pairs method, 302
  - point-centered quarter method, 302
- Pneumotrungulus tenuis*, 10, 237
- Poa pratensis*. See Kentucky bluegrass
- Political considerations, 233, 236, 331, 421
- Pollution, 53
- Population dynamics. See Population ecology
- Population ecology, 8, 15, 62, 230, 233, 304, 331, 390-417
- Population structure, weight, 392-393, 401, 410
- Populus*. See Aspen
- Porcupines, radio telemetry, 218
- Posture, 37, 246, 270, 277, 286, 287, 288, 304, 348, 398
- bedding, 287, 348
  - relation to heat loss, 265
  - critical (thermal), 274
  - See also Thermoregulatory mechanisms
- Prairie, 303, 312, 325
- mixed, 300
  - short-grass, 300
  - tall-grass, 300

- Prairie chicken
  - habitat, 227, 315
  - intraspecies relationships, 217
- Prairie dogs, interspecies relationships, 238
- Precipitation, 8, 9, 61, 62, 65. *See also* Rain; Snow
- Predation, 10, 11, 48, 188, 225, 228, 230, 309, 401, 402. *See also* Predators; Predator-prey relationships; Prey
- Predator-prey relationships, 26, 226, 232, 235
- Predators, 17, 26, 228, 314, 351
  - controls, 234
  - effect of phenology, 233
  - food preferences, 228, 229
  - reptorial, 232
  - snow as barrier, 231*See also* Predation; Predator-prey relationships; Prey
- Pregnancy. *See* Gestation
- Prey, 26, 309
  - density, 10, 228
  - differential survival, 232
  - effect of phenology, 233
  - physical condition, 229
  - productivity, 233
  - spatial distribution, 231
  - snow as barrier, 231*See also* Predation; Predators; Predator-prey relationships
- Primary consumers, 14, 15, 48, 232, 299, 300, 304-305, 306, 318, 320, 325
- Primary production, 299
- Procyon lotor*. *See* Raccoon
- Producers, 331
- Productivity, 5-6, 9, 17, 26, 230, 236, 237, 304-305, 307, 314, 317, 320, 324, 331, 332, 375, 376, 390, 391, 395, 399, 401, 404, 405, 409, 416
  - animal, 317
  - deer, 410
  - genetic potential, 13, 405, 406, 410
  - plant, 317, 321, 324
- Productivity gradient, 3-15
- Pronghorn
  - activity, 360
  - energy requirements for activity, 360-361
  - energy requirements for gestation, 354
  - gestation period, 339
  - protein requirements for gestation, 340-341
  - sense of sight, 207
- Protective coloration, 294
- Protein, 37, 47, 50, 156, 306, 307, 309, 312, 314, 366, 368, 369, 370, 371, 374, 378, 379
  - crude, 10, 137, 156
  - digestion, 177
  - net, 10, 177, 178, 307, 368, 369, 371, 380, 381, 382
  - quality, 38, 409, 410
  - utilization, 176
- Protein requirements, 334, 343, 367, 383, 400, 411
  - gestation, 336, 339, 340, 369
  - lactation, 341, 343, 444. *See also* Lactation
  - production, 336
  - seasonal variations in, 309, 310-311
  - summary of, 344, 346
  - of young, 341, 344
- Protocooperation, 225
- Protozoa, 51, 151
- Proximate analysis, 136, 137, 139
- Psychology, 131
- Puma. *See* Mountain lions
- Quail
  - natural history, 201
  - wind relationships, 94, 95
- Quercus macrocarpa*. *See* Burr oak
- Rabbit
  - habitat, 315
  - hair insulation, 253
  - interspecies relationships, 231, 238
  - thermoregulatory responses, 278, 281
  - wind relationships, 255, 289*See also* Cottontail rabbit
- Raccoon
  - behavior, 8, 220
  - food habits, 309
  - as predators, 227
  - radio telemetry, 220
- Radiant energy flux, 9, 43, 57, 61, 75, 76, 77, 81, 83, 84, 92, 243, 245, 248, 249, 250, 253, 258, 265, 267, 268, 270, 274, 278, 284, 286, 308, 314, 321, 407
  - net, 80, 83, 261
  - total, 80, 83*See also* Heat loss; Radiation
- Radiation
  - absorption coefficients, 257
  - nuclear, 17, 21
  - solar, 14, 53, 57, 58, 60, 62, 72, 77, 79, 88, 90, 275, 292, 294, 301, 306, 312, 407. *See also* Radiant energy flux; Solar radiation profile
  - thermal, 14, 275*See also* Coat color; Heat loss; Radiation; Radiant energy flux
- Radiometer, 90, 91
- Radio telemetry, 21, 215, 218, 219, 220, 228
- Rain, 8, 12, 62, 64, 65, 248, 249, 274, 312, 314, 405. *See also* Precipitation
- Range characteristics
  - chemical, 312
  - quality, 310, 318, 350, 351, 376, 397, 405
  - summer, 11, 216, 292
  - supply, 365, 368, 406, 412
  - winter, 11, 180, 216, 238, 292, 381. *See also* Winter
- Rangifer arcticus*. *See* Caribou
- Rangifer tarandus*. *See* Caribou

- Rangifer tarandus groenlandicus*. See Caribou
- Rats, thermoregulatory mechanisms, 278
- Rectal temperature. See Temperature, body
- Rectum, 141
- Red-backed voles, metabolism, 131
- Red deer, metabolism, 119
- Red fox  
infrared emissivity, 86  
interspecies relationships, 214, 226  
as predator, 227, 228  
radio telemetry, 228  
See also Fox
- Red pine, 165
- Red squirrel, infrared emissivity, 86
- Reindeer. See Caribou
- Relative humidity, 8, 62, 99, 101, 102, 103
- Reproduction, 6, 7, 8, 12, 128, 314, 334, 395, 410.  
See also Sexual maturity; Productivity
- Reptiles  
radio telemetry, 218  
thermoregulatory behavior, 246
- Resource analyst, 326
- Respiration, 98, 284, 285, 290, 322  
chamber, 113
- Respiratory quotient (R.Q.), 114, 115
- Rest, 216
- Reticulum, 141, 145, 148, 342
- Rhizosphere, 50
- Rime, 62
- Rock, 245
- Rodents  
fat reserve, 312  
habitat, 315  
See also individual species
- Roots, 50
- Rotifers, 51
- Roundworms  
*Haemonchus contortus*, 130, 237, 293  
*Pneumostongulus tenuis*, 237
- Ruffed grouse  
behavior, 219  
drumming logs, 219  
habitat, 315, 325  
intraspecies relationships, 217  
predation, 228, 232, 401-402  
productivity, 401-402  
radio telemetry, 218, 219  
snow effects, 73  
thermoregulatory behavior, 73
- Rumen, 141, 142, 144, 146, 148, 152, 166, 342, 366, 368  
capacity, 143, 169, 355, 368, 370, 371, 378, 379, 382, 383, 411  
contents, 155, 157, 158, 169, 312, 369  
development, 141, 341, 343, 354, 355  
fermentation, 109, 110, 127, 151-153, 176, 279, 281, 352  
fill, 169, 367, 368, 370, 371, 379  
fistula, 149  
microorganisms, 10, 25, 144, 147, 148, 150, 151, 152, 153, 366  
pH, 152  
Rumination, 147, 216, 348  
Running, 7, 274, 348  
energy cost of, 351  
Run-off of water, 13, 46, 67  
Rutting behavior, 165
- Sage grouse, intraspecies relationships, 217
- Salivation, 147
- Salmon, energy requirements, 124
- Saturation pressure, 100
- Scalopus aquaticus*. See Moles
- Scent, 20, 25, 208, 209, 229. See also Odor
- Sciurus carolinensis*. See Grey squirrel
- Sea otter, infrared emissivity, 86
- Seasonal variations, 4, 9, 129, 164, 171, 177, 214, 294, 368, 369, 387, 412. See also Activity; Metabolism  
diet, 377-378
- Secondary consumers, 14, 15, 48, 232, 305
- Secondary production, 299
- Second-growth hardwood, 386
- Sediment, 43, 52
- Selenium, 9, 10, 178
- Semen, 176
- Senses, 17, 206  
hearing, 206, 207  
sight, 16, 17, 19, 20, 24, 25, 206, 207, 215  
smell, 17, 166, 206, 208  
taste, 20, 166, 206  
thermal, 16, 206, 283  
touch, 25, 206, 207, 212
- Sex ratios, 391, 401, 408
- Sexual maturity, 179, 192, 214
- Sharp-tailed grouse  
feather insulation, 253  
habitat, 315  
heat loss, 288  
intraspecies relationships, 217  
posture, 288, 289  
radiant temperature, 85, 87, 260  
surface area, 264  
temperature profile, 255, 257  
thermal depth, 261-262  
thermoregulatory mechanisms, 288-289  
wind effects, 258, 260
- Sheep domestic  
behavior, 413  
body temperature, 278  
digestion, 177  
endogenous urinary nitrogen, 335  
energy requirements for foraging, 350  
energy requirements for walking, 348, 349  
fat reserve, 413  
fleece insulation, 129, 253  
genetic adaptation, 293  
heart rate, 278, 350



- Sheep domestic (*continued*)
  - heat loss, 129, 285, 395
  - metabolic fecal nitrogen, 336
  - metabolism, 111, 120, 122, 127, 280, 286
  - parasites, 237
  - physiology, 278
  - protein requirements, 334
  - protein requirements for gestation, 337-338
  - rumen contents, 154. *See also* Volatile fatty acids
  - ruminoreticular cycle, 148
  - weaning, 144
  - weight, 413
- Shoveller
  - chronology, 195-197
  - egg production, 197
- Shrews, 51
- Simulation, 253-254, 255, 410, 413, 418. *See also* Models and model-building
- Skunk, as predator, 227
- Sleep, 216
- Sleet, 62
- Slopes. *See* Topography
- Slugs, 51
- Snails, 51
- Snow, 8, 16, 68, 83, 85, 216, 245, 248, 249, 250, 287, 288, 292, 305, 309, 318, 319, 321, 369, 384, 385, 387, 398, 407, 412, 418, 419
  - aging, 407
  - density, 68, 72
  - depths, 37, 73, 229, 238, 386
  - drift formation, 70
  - effect on predation, 232
  - interception, 72
  - mechanical barrier, 231
  - thermal properties, 69, 81
- Snowshoe hare
  - hair insulation, 252
  - infrared emissivity, 86
  - interspecies relationships, 226
  - mechanical barrier, 28
  - predators, 228
  - radio telemetry, 228
  - wind relationships, 289
- Social considerations, 17, 212, 217, 218, 236, 275, 292, 314, 331, 359, 370, 385, 410, 419, 421. *See also* Interspecies relationships; Intraspecies relationships
- Soil, 10, 41, 43, 44, 45, 245, 287, 300, 315, 406
  - biota, 48, 49, 50
  - chemical characteristics of, 47
  - classification, 51
  - density, 44, 67
  - erosion, 9, 53
  - fertility, 9, 12, 47, 48. *See also* Fertilizers and fertilization
  - formation, 44, 46, 50, 51
  - organic matter, 47, 48
  - particles, 13, 45
  - profile, 13, 46, 51
  - type, 9, 43-45
  - water, 13, 44, 46, 47, 66, 68, 322
- Soil-Plant-Atmosphere Model (SPAM), 321-324
- Soil, water, and topography, 41-56
- Solar constant, 77. *See also* Radiation, solar
- Solar radiation profile, 78, 257, 265
- Song birds, 8, 11, 217, 315
- Sound, 16, 20, 25, 206, 219, 229
- Sowbugs, 51
- Space, 11, 107, 182
- Spores, 50
- Spring dispersal, 405, 419
- Spruce grouse
  - habitat, 300, 315, 316, 325
  - intraspecies relationships, 217
- Squirrels, interspecies relationships, 207, 238
- Standing, 348
- Starch, 50, 306
- Starvation, 280
- Statistical significance, 37
- Steers. *See* Cattle
- Stefan-Boltzman law, 76, 78
- Stomates, 322
- Storms, heavy, 410
- Stratosphere, 60
- Subcutaneous fat, 282
- Succession, 52, 314, 315, 325, 384, 388, 406. *See also* Plant succession
- Sugar maple, 325
- Sugars, 50, 151, 306
- Summer coat, 250, 274, 278, 294, 413
- Summer range. *See* Range, summer
- Sunlight. *See* Radiation, solar
- Surface area, 126, 258, 262, 263, 264, 265, 286, 287, 411
  - critical surface area 126
- Surface temperature. *See* Temperature, radiant
- Sweat glands, 98, 285
- Sylvilagus floridanus*. *See* Cottontail rabbits
- Symphoricarpos occidentalis*, 325
- Synecology, 55
- Systems analysis, 7, 15, 390. *See also* Models and model-building
- Systems, natural, 12
- Tactile stimuli. *See* Senses, touch
- Tamiasciurus hudsonicus*. *See* Red squirrel
- Tarsal scent, 208
- Taurotragus oryx*. *See* Eland
- Taxonomic composition, 300
- Taxonomy, 28
- Temperature, 7, 14, 43, 312
  - air, 7, 8, 68, 82, 85, 94, 100, 110, 252, 253, 258, 260, 261, 267, 269, 279, 282, 283, 287, 296, 324
  - body 119, 129, 131, 143, 246, 249, 250, 286, 290, 304
  - measurement of, 90

- profiles, 84, 254, 255, 256, 257, 258, 261, 270  
 radiant, 82, 83, 85, 86, 87, 88, 90, 255, 258, 259, 260, 261, 267, 270  
 Temporal relationships. *See* Time; Seasonal variations  
 Territories, 188, 192, 193, 209, 215, 217, 305  
 Thermal boundary layer. *See* Thermal boundary region  
 Thermal boundary region, 75, 93, 247, 256, 259  
 Thermal conductivity, 97, 247, 250, 266, 283  
   effect of air temperature, 252  
   effect of compression, 251  
   effect of hair inclination, 251  
 Thermal conductivity coefficient ( $k$ )  
   of air, 252  
   of snow, 69  
 Thermal depth, 261, 270  
 Thermal energy, 9, 41, 43, 75, 85, 153, 245, 250, 304, 314. *See also* Conduction; Convection  
   Evaporation; Radiation  
 Thermal energy exchange, 22, 245-272, 273, 288, 289, 304, 314, 401, 406  
   and weather, 75-105  
 Thermoneutral range, 110, 275  
 Thermoregulation. *See* Thermoregulatory mechanisms  
 Thermoregulatory mechanisms, 273-298, 314  
   activity, 276  
   behavior, 246, 276, 287, 289  
   feeding, 276  
   genetic adaptation, 277, 293  
   orientation, 286  
   thermogenesis, 276, 279  
   vascular control, 47, 275, 276, 278, 280, 282, 283, 290  
 Thermosphere, 60  
 Throughfall, 66  
*Thuja occidentalis*, 83  
*Tilia americana*. *See* Basswood  
 Time, 10, 21, 308, 401, 411  
   definition of, 24  
 Timothy, 309  
 Topography, 13, 14, 43, 44, 46, 58, 66, 289, 292, 300, 314  
 Tornadoes, 326  
 Total digested nutrients (TDN), 352  
 Translocation, 49, 300, 308, 309, 320  
 Transpiration, 64, 65. *See also* Heat loss; Evaporation  
 Trapping, 218, 236, 410  
   mortality, 235  
   of wild ruminants, 235  
 Triangulation, 219  
 Trophic levels, 232, 416  
 Troposphere, 60  
 Tundra, 300  
 Turbulence. *See* Wind  
 Turkey, intraspecies relationships, 11, 197, 209-210, 217  
 Turnover rate, 157, 158, 169  
 Turtles, 227  
*Tympanuchus cupido*. *See* Prairie chicken  
 Understory, 301, 304  
 Upland game birds. *See* individual species  
 Urea, 109, 156, 378, 400, 421  
 Vapor pressure, 8, 14, 47, 62  
 Vapor pressure deficit (VPD), 100, 101, 273  
 Viruses, 27, 28  
 Vision. *See* Senses, sight  
 Vitamins, 10, 157, 178  
 Volatile fatty acids (VFAs), 10, 152, 154, 155  
*Vulpes fulva*. *See* Red fox  
 Walking, 348, 350, 387  
   energy requirements for, 167  
 Warblers, habitat, 305-306  
 Water, 13, 14, 41, 43, 44, 46, 53, 137, 300, 350  
   cycle, 61  
   requirements, 216  
   vapor, 46, 61, 68, 79, 321, 324  
 Waterfowl  
   activity, 192, 305  
   chronology, 12, 193ff  
   interspecies relationships, 238  
   intraspecies relationships, 11  
   predators, 226-227  
 Weaning, 143, 144, 167, 179, 342, 415, 416  
 Weather, 14, 57-74, 243, 245, 250, 275, 314, 369, 395, 406, 408, 410, 411, 412, 413, 419. *See also* Precipitation; Radiation; Temperature; Thermal energy; Wind  
 Whales, 52  
 White pine, 316  
 White-tailed deer  
   activity, 164, 215-217, 231, 357  
   antler growth, 211, 214, 313  
   behavior, 289, 292, 305  
   body temperature, 131, 286  
   breeding cycle. *See* chronology  
   chronology, 179, 191, 370, 395-396, 416  
   convection, 267, 268, 269, 270, 271  
   cover, 290, 300, 407  
   digestion, 152  
   endocrine system, 165  
   energy requirements, 357, 358, 359  
   energy requirements for gestation, 354  
   energy requirements for milk production, 128  
   family groups, 217-218  
   fawns, 309  
   food availability, 399  
   food intake, 164, 165, 216, 352-353  
   genetic adaptations, 293  
   gestation period, 339  
   hair, 294, 324  
   heat conservation, 270, 291-292  
   heat loss, 268-269, 275-276, 287, 290, 291

- White-tailed deer (*continued*)  
 height, 399  
 home range, 214–215, 238  
 interspecies relationships, 213–214, 236, 238  
 intraspecies relationships, 212, 213, 217  
 lethargy, 286, 287, 290  
 metabolic rhythms, 129, 357  
 metabolism, 116–118, 278  
 mortality, 218  
 movements. *See* home range  
 parasites, 189, 237  
 parturition, 192, 212  
 physiology, 126, 219, 286, 397  
 protein requirements, 343  
 protein requirements for gestation, 340, 341  
 posture, 270  
 radiant temperature, 256, 259, 260  
 radiation loss, 268, 269  
 rumen anatomy, 145, 343  
 rumen capacity. *See* stomach capacity  
 rumen pH, 153  
 ruminoreticular cycle, 148  
 sexual maturity, 179, 214, 396, 414, 415  
 sleep, 217  
 stomach anatomy, 146  
 stomach capacity, 143, 342, 343  
 summer coat, 294  
 surface area, 262, 263, 264, 269  
 temperature profiles, 255, 256, 258, 261  
 thermal analyses, 245ff, 273ff. *See also* specific  
   heat loss factors  
 thermal depth of hair, 261, 270  
 thermoregulatory mechanisms, 231, 276, 290,  
   291  
 vascular control, 282, 290  
 weaning, 144  
 weight, 165, 167, 180, 181–182, 190, 270, 312,  
   313, 343, 352, 374, 411–412  
 weight loss, 313  
 wind effects, 258, 270  
 winter coat, 294–295  
 Wild ruminants, 111, 334, 337, 339, 349, 353, 354,  
   378, 406, 421. *See also* individual species  
 Wildebeest  
   metabolism, 119  
   methane production, 173  
 Wildlife management, 188  
 Willow, 310  
 Willow ptarmigan  
   infrared emissivity, 86  
   metabolism, 129, 314  
 Wilting point, 47  
 Wind, 7, 13, 14, 22, 68, 88, 216, 253, 274, 283,  
   288, 292, 321, 322, 324, 407  
   angle of attack. *See* direction  
   direction, 252  
   effect on conductivity, 266  
   effect on temperature profile, 255  
   interaction with radiation, 259  
   profile, 69, 93, 265, 269, 270, 289, 324  
   turbulence, 7, 70, 94, 252, 262, 324  
   velocity, 72, 85, 92, 93, 96, 252, 253, 261, 265,  
     267, 274, 282, 288, 289, 405, 407  
 Windbreaks, 70  
 Windpack, 69  
 Winter, 372, 374, 379, 411, 412  
   concentrations of deer, 215, 407, 413  
   cover, 289  
   *See also* Range, winter; Weather  
 Winter coat, 250, 274, 278, 294, 412  
 Winter diet, 374  
 Winter range. *See* Range, winter  
 Winter shelter, 406  
 Wolf  
   activity, 219–220  
   habitat, 26  
   infrared emissivity, 86  
   natural history, 200  
   as predator, 14, 227–228, 231, 232, 235, 412  
   radio telemetry, 219  
   snow effects, 231  
   thermoregulatory responses, 282  
 Woodchucks  
   infrared emissivity, 86  
   radio telemetry, 218  
   soil relationships, 43  
 Wool, 128  
 Yarding. *See* Winter, concentrations of deer